(i)	SEQUI	ENCE CHARACTERISTICS:
	(A)	LENGTH: 324 base pairs
	(B)	TYPE: nucleic acid
	(C)	STRANDEDNESS: both

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..324

(ix) FEATURE:

(A) NAME/KEY: mat_peptide
(B) LOCATION: 31..324

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GACATTCAGC	TGACCCAGTC	TCCANNNNN	NNNNNNNNN	NNNNNNNN	иииииииии	60
NNNNNNNNN	NNNNNNNN	NNNNNNNNN	NNNNNNNN	NNNNNNNNN	NNNNNNNNN	120
NNNNNNNNN	NNCAGCCCTT	GATTTATGAG	GTTTCCAACC	GGGCCTCTGG	AGTCCCAGAC	180
AGGTTCAGTG	GCAGTGGGTC	GGACACTGAT	TTCACACTCA	AAATCAGCAG	AGTGGAGGCT	240
GAGGATGTTG	GGGTTTATTA	CTGCATGCAA	TATACACACA	TTCCATTCAC	TTTCGGCCCC	300
GGGACCAAAC	TGGATATCAA	ACGA				324



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 108 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Asp Ile Gln Leu Thr Gln Ser Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa I 1 10 15

Tyr Glu Val Ser Asn Arg Ala Ser Gly Val Pro Asp Arg Phe Ser Gly 50 55 60

Ser Gly Ser Asp Thr Asp Phe Thr Leu Lys Ile Ser Arg Val Glu Ala 70 75 80

Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Tyr Thr His Ile Pro Phe 85 90 95

Thr Phe Gly Pro Gly Thr Lys Leu Asp Ile Lys Arg 100 105

Control

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 324 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 (B) LOCATION: 1..324
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

														GTA Val 15		48
GAC Asp	AGA Arg	GTC Val	ACC Thr 20	ATC Ile	ACT Thr	TGC Cys	CGG Arg	GCA Ala 25	AGT Ser	CAG Gln	AGC Ser	ATT Ile	AGC Ser 30	AAT Asn	TAT Tyr	96
														TTG Leu		144
														AGT Ser		192
														GAG Glu		240
														CCA Pro 95		288
	TTC Phe															324

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 108 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:
- Asp Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
- Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Tyr 20 25 30
- Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Gln Pro Leu Ile 35 40 45
- Tyr Glu Val Ser Asn Arg Ala Ser Gly Val Pro Asp Arg Phe Ser Gly 50 55 60
- Ser Gly Ser Asp Thr Asp Phe Thr Leu Lys Ile Ser Arg Val Glu Ala 65 70 75 80
- Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Tyr Thr His Ile Pro Phe 85 90 95
- Thr Phe Gly Pro Gly Thr Lys Leu Asp Ile Lys Arg
 100 105

Carlina

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 324 base pairs (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1...324

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31

ATT Ile								48
ACA Thr								96
GCC Ala								144
GCT Ala 50								192
GGA Gly								240
GAT Asp								288
TTC Phe								324

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 108 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32
- Asp Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
- Asp Thr Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Asn Asn 20 25 30
- Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Arg Leu Ile 35 40 45
- Tyr Ala Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly 50 55 60
- Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro 65 70 75 80
- Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Asn Ser Tyr Pro Phe 85 90 95
- Thr Phe Gly Gly Thr Lys Val Glu Ile Lys Arg 100 105

Carper

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 324 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:

(A) NAME/KEY: CDS (B) LOCATION: 1..324

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33

48	GGA Gly						CTG Leu		
96							ACC Thr 20		
144							TAT Tyr		
192							TCC Ser		
240							GGG Gly		
288							GCA Ala		
324							GGA Gly 100		



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 108 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34
- Asp Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15
- Asp Thr Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Asn Asn 20 25 30
- Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Arg Leu Ile 35 40 45
- Tyr Ala Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly 50 55 60
- Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro 65 70 75 80
- Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Asp Asn Ser Tyr Pro Phe 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg 100 105

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 342 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..342

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

							GCA Ala 15	48
							TCA Ser	96
							GAG Glu	144
							GGG Gly	192
							CTG Leu	240
							GCA Ala 95	288
							GAG Glu	336
AAA Lys								342



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 114 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Asp Ile Val Met Thr Gln Ser Pro Thr Phe Leu Ala Val Thr Ala Ser 1 5 10 15

Lys Lys Val Thr Ile Ser Cys Thr Ala Ser Glu Ser Leu Tyr Ser Ser 20 25 30

Lys His Lys Val His Tyr Leu Ala Trp Tyr Gln Lys Lys Pro Glu Gln
35 40 45

Ser Pro Lys Leu Leu Ile Tyr Gly Ala Ser Asn Arg Tyr Ile Gly Val 50 55 60

Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr 65 70 75 80

Ile Ser Ser Val Gln Val Glu Asp Leu Thr His Tyr Tyr Cys Ala Gln 85 90 95

Phe Tyr Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu 100 105 110

Lys Arg

Power Power

(i) SEQUENCE CHARACTERISTICS:

Mala Control

	•	(1	3) T C) S'	ENGTI YPE: I'RANI OPOL	nuc. DEDNI	leic ESS:	ació botl	É	S				
	(ii) MOI	LECUI	LE T	YPE:	cDN	A						
	(iii) HYI	POTH	ETIC	AL: 1	OV							
	(iv) AN	ri-si	ENSE	: NO								
/	`	(1	A) NA B) L(E: AME/I OCAT: CE DI	ION:	1		SEQ :	ID NO	D : 37			
	CTC Leu												48
	ACA Thr												96
	GCC Ala												144
	GGT Gly 50												192
	AGA Arg												240
	GAT Asp												288

327

ACT GCT TTC GGC GGA GGG ACC GAG CTG GAG ATC CTA TGT

Thr Ala Phe Gly Gly Gly Thr Glu Leu Glu Ile Leu Cys

105

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 109 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Ala Leu Val Met Thr Gln Thr Pro Ala Ser Val Ser Ala Ala Val Gly
1 10 15

Gly Thr Val Thr Ile Lys Cys Gln Ala Ser Glu Asn Ile Tyr Ser Ser 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile 35 40 45

Tyr Gly Ala Ser Thr Leu Ala Ser Gly Val Pro Ser Arg Phe Lys Gly
50 55 60

Ser Arg Ser Gly Thr Glu Tyr Thr Leu Thr Ile Ser Gly Val Gln Arg
65 70 75 80

Glu Asp Ala Ala Thr Tyr Tyr Cys Leu Gly Ser Asp Ser Ser Ser Asp 85 90 95

Thr Ala Phe Gly Gly Gly Thr Glu Leu Glu Ile Leu Cys 100 105

Goden Contraction

INFORMATION FOR SEQ ID NO:39: SEQUENCE CHARACTERISTICS: (A) LENGTH: 321 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (ix) FEATURE: (A) NAME/KEY; CDS (B) LOCATION: \1...321 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:39: ACT GTG GCT GCA CCA TCT GTC TTC ATC TTC CCG CCA TCT GAT GAG CAG Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln 10 TTG AAA TCT GGA ACT GCC TCT GTT GTG TGC CTG CTG AAT AAC TTC TAT Leu Lys Ser Gly Thr Ala Ser Val Val\Cys Leu Leu Asn Asn Phe Tyr 20 CCC AGA GAG GCC AAA GTA CAG TGG AAG GTG, GAT AAC GCC CTC CAA TCG 144 Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser 40 GGT AAC TCC CAG GAG AGT GTC ACA GAG CAG GAC\AGC AAG GAC AGC ACC 192 Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr 50 55 TAC AGC CTC AGC AGC ACC CTG ACG CTG AGC AAA GCA GAC TAC GAG AAA 240 Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys 65 70 80 CAC AAA GTC TAC GCC TGC GAA GTC ACC CAT CAG GGC CTG AGC TCG CCC 288 His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro

90

105

GTC ACA AAG AGC TTC AAC AGG GGA GAG TGT TA

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys

100

48

96



(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 321 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1...321

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

			GTC Val					4	18
			TCT Ser					9	96
			CAG Gln					14	14
			GTC Val 55					19	92
			CTG Leu					24	40
			GAA Glu					28	88
			AGG Arg		TAG			;	321



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 106 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
1 5 10 15

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr 20 25 30

Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser 35 40 45

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr 50 55 60

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys 65 70 75 80

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro 85 90 95

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys 100 105 50 2

(2) INFORMATION FOR SEQ ID NO:40:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 106 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln
1 5 10 15

Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr 20 25 30

Aro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser 35 40 45

Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr
50 55 60

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys 65 70 75 80

His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro 85 90 95

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys 100 105



(2)

(2)	INF	ORMA!	rion	FOR	SEQ	ID 1	10:4	l :							
	(i)	() (I ()	QUENCA) LI B) TY C) SY O) TO	ENGTI (PE: ['RANI	nuc DEDNI	21 ba leic ESS:	ase p acid both	pairs 1	5						
	(ii) MOI	LECUI	LE TY	TPE:	CDN	A								
	(iii)	HYI	POTH	ETICA	AT: 3	YES						•		1000	
	(iv)) AN	ri-si	ENSE	: NO									_	
	, : ·		. (TT TT) T	-										.•	
	(1X	(2	ATURI A) N	AME/I			201								
		(1	3) L(JCAT.	LON:	1	321								
	(xi) SE(QUENC	CE DI	ESCR	IPTI	ON: S	SEQ :	ID NO	0:41	:				
			GCA Ala												48
			GGA Gly 20												96
			GCC Ala												144
			CAG Gln												192
			AGC Ser												240

TAC Tyr 65 CAC AAT GTC TAT GCC TGC GAA GTC ACC CAT CAG GGC CTG AGC TCG CCC 288 His Asn Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro 90 GTC ACC AAG AGC TTC AAC AGG GGA GAG TGT TAG 321 Val Thr Lys Ser Phe Asn Arg Gly Glu Cys 100 105

(2) INFORMATION FOR SEQ ID NO:41: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 321 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: YES (iv) ANTI\SENSE: NO (ix) FEATURE ₹ (A) NAME/KEY: CDS (B) LOCATION: 1..321 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:41: GCT GTG GCT GCA CCA TCT GTC TTC ATC TTC CCG CCA TCT GAG GAT CAG 48 Ala Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Glu Asp Gln 10 GTG AAA TCT GGA ACT GTC TCT GTT GTG TGC CTG CTG AAT AAC TTC TAT 96 Val Lys Ser Gly Thr Val Ser Val Val Cys Leu Leu Asn Asn Phe Tyr 20 CCC AGA GAG GCC AGC GTA AAG TGG AAG GTG GAT GGT GCC CTC AAA ACG 144 Pro Arg Glu Ala Ser Val Lys Trp Lys Val Asp Gly Ala Leu Lys Thr GAT AAC TCC CAG GAG AGT GTC ACA GAG CAG, GAC AGC AAG GAC AAC ACC 192 Asp Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Asn Thr 50 55 60 TAC AGC CTG AGC AGC ACC CTG ACG CTG AGC AGC ACA GAC TAC CAG AGT 240 Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Ser Thr Asp Tyr Gln Ser 65 70 80 CAC AAT GTC TAT GCC TGC GAA GTC ACC CAT CAG GGC CTG AGC TCG CCC 288 His Asn Val Tyr Ala Cys Glu Val Thr His Gln Gly Leù Ser Ser Pro

105

GTC ACC AAG AGC TTC AAC AGG GGA GAG TGT TA

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys

100

95



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 106 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Ala Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Glu Asp Gln 1 5 10 15

Val Lys Ser Gly Thr Val Ser Val Val Cys Leu Leu Asn Asn Phe Tyr 20 25 30

Pro Arg Glu Ala Ser Val Lys Trp Lys Val Asp Gly Ala Leu Lys Thr 35 40 45

Asp Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Asn Thr 50 55 60

Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Ser Thr Asp Tyr Gln Ser 65 70 75 80

His Asn Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro 85 90 95

Val Thr Lys Ser Phe Asn Arg Gly Glu Cys 100 105

Karne



- (A) LENGTH: 321 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..321

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

48	GAT Asp 15								
96	TTC Phe								
144	CAA Gln								
192	TGT Cys								
240	AAC Asn								
288	TCA Ser 95								
321			TAG			AAT Asn			

\$3°C /		> '
(0	ı	Q

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
 - (iv) ANTY-SENSE: NO
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..321

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

														GAT Asp		48
CIDC	ת יים ת	л.Cm	<i>(</i> ''')	מים מ	cmc	ACA.	'A MC'	cmc		cmc	CCA	רוח מי מ	73 73 73	1.)	com	0.6
						•								TTC Phe		96
														CAA Gln		144
		.,,					40					43				
														TGT		192
Ser	GLy 50	Phe	GIu	Asn	Ser	Thr 55	Thr	Pro	Gln	Ser	Pro 60	Glu	Asp	Cys	Thr	
TAC	AAC	CTC	AGC	AGC	ACT	CTG	TCA	CTG	ACC.	AAA/	GCA	CAG	TAC	AAC	AGC	240
Tyr 65	Asn	Leu	Ser	Ser	Thr 70	Leu	Ser	Leu	Thr	Dys 75	Ala	Gln	Tyr	Asn	Ser 80	
CAC	AGC	GTG	TAC	ACC	TGC	GAG	GTG	GTC	CAT	CAC	XLAC	TCG	GGC	TCA	GCG	288
														Ser 95		
A'TC	GTC	CAG	AGC	TTC	AAT	AGG	GGT	GAC	TGT	TA						321
						Arg							\			

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 106 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

Asp Pro Ile Ala Pro Thr Val Leu Leu Phe Pro Pro Ser Ala Asp Gln
1 5 10 15

Leu Thr Thr Glu Thr Val Thr Ile Val Cys Val Ala Asn Lys Phe Arg 20 25 30

Pro Asn Asp Ile Thr Val Thr Trp Lys Val Asp Asp Glu Ile Gln Gln 35 40 45

Ser Gly Phe Glu Asn Ser Thr Thr Pro Gln Ser Pro Glu Asp Cys Thr 50 55 60

Tyr Asn Leu Ser Ser Thr Leu Ser Leu Thr Lys Ala Gln Tyr Asn Ser 65 70 75 80

His Ser Val Tyr Thr Cys Glu Val Val His His Asn Ser Gly Ser Ala 85 90 95

Ile Val Gln Ser Phe Asn Arg Gly Asp Cys
100 105

Dative

INFORMATION FOR SEQ ID NO:45: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 321 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: both (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1...321 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45: GCT GAT GCT GCA CCA ACT GTA\TCC ATC TTC CCA CCA TCC AGT GAG CAG Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln 10 15 TTA ACA TCT GGA GGT GCC TCA GTC GTG TGC TTC TTG AAC AAC TTC TAC Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr 20 CCC AAA GAC ATC AAT GTC AAG TGG AAG ATT GAT GGC AGT GAA CGA CAA Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln AAT GGC GTC CTG AAC AGT TGG ACT GAT CAG GAG AGC AAA GAC AGC ACC

Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr

TAC AGC ATG AGC AGC ACC CTC ACG TTG ACC AAG GAC GAG TAT GAA CGA

Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg

CAT AAC AGC TAT ACC TGT GAG GCC ACT CAC AAG ACA TCA ACT TCA CCC

His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro

105

90

55

70

ATT GTC AAG AGC TTC AAC AGG AAT GAG TGT TA

Ile Val Lys Ser Phe Asn Arg Asn Glu Cys

85

100

48

96

144

192

240

288

321

50

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 321 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..321
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

	GCA Ala							48
	GGA Gly 20							96
	ATC Ile							144
	CTG Leu							192
	AGC Ser							240
	TAT Tyr							288
	AGC Ser				TAG			321

